

**LITHODYTES LINEATUS** (Sapito Lineado). VENEZUELA: ESTADO TÁCHIRA: Las Cuevas, Valle del Río Doradas, 550 m elev. J. Péfaur and R. Pérez. 14 February 1985. Colección de Vertebrados, Facultad de Ciencias, Universidad de los Andes, Mérida, Venezuela (CVULA IV-3652). Constitutes the only record in the country outside of the Guianan Shield in the states of Amazonas and Bolívar; more than 850 km to the NW of a nearer record in Venezuela, the High River Cunucunuma (Ginés 1959, Mem. Soc. Cien. Nat. La Salle 19[53]:85–146.). Lynch (1979. In W. E. Duellman (ed.). The South American Herpetofauna: Its Origin, Evolution and Dispersal, pp. 189–215. Mus. Nat. Hist. Univ. Kansas Monogr. No. 7.) showed a general distribution map for the species, where localities of the Andean piedmont are noted in Peru, Ecuador, and Colombia. First report for the Estado Táchira and for western Venezuela. Río Doradas valley constitutes the only place in the western region of the country with the presence of Amazonian elements.

Submitted by **CÉSAR LUIS BARRIO**, Fundación para el Desarrollo de las Ciencias Físicas, Matemáticas y Naturales, FUDECI, Apartado Postal 185, Caracas 1010-A, Venezuela (e-mail: fudeci@reacciun.ve).